

Diet Protocol for Chronic Kidney Disease due to Diabetes Daily Diet

Applicable for conditions caused by diabetes, blood pressure (BP) medications, IgA nephropathy, and polycystic kidney disease.

Diet to Be Followed: Kidney Diet

Water restriction: Restrict total water intake for edema, including liquids from foods like juices, to 1 liter per day.

Morning

Step 1:

On an empty stomach, mix 15 ml each of the following supplements (without diluting them in water) add EdemaEx 2.5 gm and drink:

- Sugar Care (S10)
- Gastro Support (S6)
- Renal Support (S5)
- EdemaEx (S18)

Step 2:

Immediately after consuming the supplements, chew and swallow the following:

- Garlic: 2-3 small pieces
- Ginger: ½ cm slice
- Fenugreek seeds: ½ teaspoon (soaked or sprouted overnight)

Note: These are prebiotics that promote gut health.

Step 3:

- Perform 20 minutes of meditation and 40 sets of pranayama (e.g., Bhastrika) followed by 20 sets of Anuloma Viloma.
- Drink 50 ml banana stem juice. If available

Step 4:

Breakfast:

- 1. Start with Flax Drink as the first course. (scan the QR code.)

- 2. Follow with a second course of fruits.
- 3. If still hungry, eat a third course from the diet chart. Flax Drink often provides sufficient satiety, so breakfast should only be eaten when hungry.

<u>Afternoon</u>

Step 1:

Before lunch, drink 15 ml of Cardio Vascular Support (S3) (without diluting in water).

Step 2:

Lunch:

- 1. Drink 50 ml raw vegetable juice (acts as a cholesterol reducer/blood thinner).
- 2. Ensure your meal comprises:
 - 60% vegetables and leafy greens, cooked with pulses or other vegetables.
 - 25% cereals (wheat, jowar, or rice with the starch removed during preparation).
 - 15% fish, chicken, or mushrooms.

3. After lunch Consume 50 ml banana stem juice, if available (acts as a cholesterol reducer/blood thinner).

Evening

Step 1:

Drink I glass of Flax Drink as a snack (without adding water).

<u>Night</u>

Step 1:

Before dinner, drink 15 ml each of the following supplements (without diluting them in water) add EdemaEx 2.5 gm and drink:

- Sugar Care (S10)
- Gastro Support (S6)
- Renal Support (S5)
- EdemaEx (S18)

Step 2:

Dinner:

1. Start with ½ glass raw vegetable juice (50 ml).

- 2. Ensure your meal comprises:
 - 60% vegetables and leafy greens, cooked with pulses.
 - 25% cereals (rice, roti, wheat, or jowar).
 - 15% fish, chicken, or mushrooms.

Note: If gastric issues occur, avoid synthetic medications as they harm gut microbes. The Gastro Support supplement will manage this.

Additional Information

1. Medications to Avoid: A list of drugs to avoid will be provided to ensure speedy recovery. Scan the QR code for details.



2. Tapering Medication: Diabetic, BP, and thyroid medications will be reduced gradually under supervision. Scan the QR code for guidance.



3. Health Benefits: This protocol helps control BP, diabetes, heart diseases, neurological disorders, diabetic neuropathy, retinopathy, liver cirrhosis, fatty liver, pancreatitis, and more.

4. Foods to Avoid: A detailed list of harmful foods will be provided. Scan the QR code for more information.



5. Foods to Include: Follow the protocol for foods that act as medicine. Scan the QR code for a complete list.

6. Recipes:

- Banana Stem Juice
- Raw Vegetable Juice

Recipes can be accessed by scanning the QR code.

For Further Details

 Explore research articles, awards, government recognition, factory details, and diet book by scanning the QR code.









